

INDEX MAPS.

T.30N. R.14E. 2nd Mer.

	85		85		85		85		84		84	
88	6	112	5	106	4	101	3	97	2	92	1	84
	112		112		105		101		96		92	
87	7	111	8	105	9	100	10	96	11	92	12	83
	110		111		105		100		95		91	
87	18	110	17	104	16	100	15	95	14	90	13	83
	109		109		104		99		95		90	
87	19	109	20	103	21	99	22	94	23	90	24	83
	108		108		103		98		94		90	
87	30	107	29	103	28	98	27	94	26	89	25	83
	107		107		102		97		93		89	
86	31	106	32	102	33	97	34	93	35	88	36	82
	82		82		81		81		81		81	

Meandering 113

T.31N. R.14E. 2nd Mer.

	156		157		157		157		156		156	
123	6	150	5	145	4	144	3	139	2	137	1	121
	150		150		144		144		139		136	
123	7	149	8	143	9	142	10	138	11	136	12	120
	149		149		143		142		138		136	
122	18	148	17	143	16	142	15	138	14	135	13	120
	148		148		141		141		137		135-125	
122	19	147	20	140	21	141	22	137	23	125	24	119
	147		147		140		140-129		127		125	
122	30	146	29	139	28	139	27	127	26	124	25	119
	146		146		130		129		128		124	
121	31	145	32	129	33	128	34	126	35	124	36	119
	118		118		117		117		117		117	

Meandering right bank 131
left bank 151

The figures on the lines refer to the page.

Township No 31 North Range No 14 East 2nd Mer. Indian

South Boundary.

West On South Boundary of Sec 36 Sur. 5th 30th E.

21, 00 An Elm 12 in. diam.

40, 00 Set a gr. Sec Post from which
a Lynn 12 in. diam. bears N 87th 11 links dist. &
an Ash 24 " " " N. 19 E 11 " "

58, 67 An Elm 24 in. diam.

80, 00 Set a Post corner of Sec. 35 + 36 from which
an Elm — in. diam. bears S 44 E 8 links dist. &
an Ash 8 " " " N. 64 E 3 " "

Land Swampy + Mr. Timber Ash, Elm, &c

West On South Boundary of Sec 35

31, 50 A Hickory 24 in. diam.

40, 00 Set a gr. Sec. Post from which
a Lynn 10 in. diam. bears N 5 E 15 links dist. &
a Do 10 " " " S. 3 E. 21 " "

59, 50 An Ash 12 in. diam.

80, 00 Set a Post Corner to Sec. 34 + 35 from which
a Beech 12 in. diam. bears North 5 links dist. &
an Elm 24 " " " S. 70 E. 19 " "

Land + Timber as before

West On South Boundary of Sec 34

21, 70 A Hickory 12 in. diam.

40, 00 Set a gr. Sec Post from which
a Walnut 40 in. diam. bears S 20 E 5 links dist. &
an Ironwood 8 in. " " N. 4 W. 18 " "

70, 00 A Branch 15 links wide. course S E.

76, 00 An Ash 30 in. diam.

80, 00 Set a Post Corner to Sec. 33 + 34 from which
a Sugar 24 in. diam. bears N. 45 E. 13 lks. dist. &
a Lynn 12 " " " S 22 E. 23 " "

Land &c. not described

West On South Boundary of Sec 33.

30.00 A Beech 12 in. diam.
 40.00 Set a gr. Sec Post from which
 an Ash 24 in. diam. bears S. 23° W. 10 links dist. &
 a Do 10 " " " S. 56° E. 30 " "
 57.25 A Sugar 24 in. diam.
 80.00 Set a Post Corner to Sec. 32 & 33 from which
 an Ash 21 in. diam. bears S. 21° W. 22 links dist. &
 a Beech 10 " " " S. 15° W. 8 " "
 Land &c as before

West On South Boundary of Sec 32
 40.00 Set a gr. Sec Post. from which
 an Elm 12 in. diam. bears S. 51° E. 13 links dist. &
 an Ash 10 " " " S. 38° W. 11 " "
 80.00 Set a Post Corner to Sec. 31 & 32 from which
 an Ash 8 in. diam. bears S. 3° W. 4 links dist. &
 a W. Oak 12 " " " S. 6° E. 21 " "
 Land &c as before

West On South Boundary of Sec 31
 20.00 Intersected the Maumee River and
 Set Post Corner from which
 a W. Oak 18 in. diam. bears S. 17° W. 11 links dist. &
 a Maple 10 " " " S. 41° E. 17 " "
 March 7th 1820

West On South Boundary of Sec. 31 Continued.
 Commencing at Post on the Right Bank of
 the Maumee River Mar. 5th

24 37 Set a Post on the Left Bank of the River
 Course N. E. from which
 a Hickory 15 in. diam. bears N. 22° E. 11 links dist. &
 an Elm 8 " " " N. 55° W. 38 " "

33.80 A Sugar 30 in. diam.
 40.00 Set a gr. Sec. Post from which
 an Ironwood 5 in. diam. bears N. 36° E. 48 links dist.
 & a Buckeye 6 " " " N. 46° W. 40 " "

T 31 N. R 14 E 2nd Mer. Indiana. 119

- 57.91 A Beech 18 in. diam.
 66.70 A W. Oak 24 " "
 84.44 Intersect the Town Corner 6 links South of Post
 Land level 2nd rate, Timber, Sugar + Beech
 Undergrowth Spice

David Willis D.S.

East Boundary

- North On East Boundary of Sec 36 Var. 5° 30' E.
 40.00 Set a gr. Sec. Post from which
 a Maple 18 in. diam. bears S 44 W 4 links dist. &
 an Oak 12 " " " N. 65 E. 13 " "
 70.80 A Hickory 14 in. diam.
 80.00 Set Post Corner to Sec. 25 + 36 from which
 an Oak 18 in. diam. bears S 48 E 9 links dist. &
 an Ash 7 " " " N. 21 W. 20 " "
 Land level + Swampy.

North On East Boundary of Sec 25

- 15.74 A Cottonwood 15 in. diam.
 40.00 Set a gr. Sec Post from which
 a Lumn 7 in. diam. bears S. 5 W. 20 links dist. &
 a Po 7 " " " N. 37 E 9 " "
 59.05 An Oak 24 in. diam.
 80.00 Set a gr. Sec Post from which
 a Lumn 8 in. diam. bears S. 37 W. 30 links dist. &
 an Ash 18 " " " N. 37 E 10 " "
 Land & c. as before

North On East Boundary of Sec 24

- 15.00 A Swamp E + W
 30.00 Dry Land.
 40.00 Set a gr. Sec Post from which
 an Oak 20 in. diam. bears N. 29 E. 6 links dist. &
 a Maple 12 in. " " S. 57 W. 10 " "
 80.00 Set Post Corner to Sec. 13 + 24 from which

T 31 N. R. 14 E 2nd Mer. Indiana

an Elm 8 in. diam. bears S. 10 E. 7 lks. dist. &
 an Ash 10 " " " S. 77 W. 21 " "
 Land & Timber as before.

North On East Boundary of Sec 13

40.00 Set a gr. Sec Post. from which
 a Beech 10 in. diam. bears S. 28 E. 9 links dist. &
 a Maple 14 " " " N. 25 E. 17 " "

62.00 Intersect the Maumee River and
 Set Post from which
 a Lynn 14 in. diam. bears S. 73 W. 5 lks. dist. &
 a Do 14 " " " N. 5 E. 18 " "
 Surveyed by
 John M. Donald, D.S.

North Continued on East Boundary of Sec 13
 Beginning at a Post on the South Bank
 of the Maumee River Var 5-30'E.

Measure reckoned from the Corner of Sec.
 13 & 24 on East side of Sec 13

66.00 Set Post on the Left Bank of the Maumee
 River, Course N.E. from which
 a Blue Ash 24 in. diam. bears N. 59 W. 23 lks. dist. &
 a Lynn 30 " " " N. 78 E. 40 " "
 April 25th

80.00 Set a Post Corner to Sec. 12 & 13 from which
 a B. Ash 18 in. diam. bears S. 21 W. 35 lks. dist. &
 an Ironwood 6 " " " N. 31 W. 14 " "
 Land here 2nd rate. Timber, Oak, Beech,
 & Hickory. Undergrowth Spice & Ironwood.

North On East Boundary of Sec 12

21.23 An Elm 15 in. diam.

40.00 Set a gr. Sec Post from which
 a Red Oak 36 in. diam. bears S. 7 W. 45 links dist. &
 a Maple - " " " N. 24 W. 36 " "

60.04 A Hickory 16 in. diam.

T 31 N. R 14 E 2nd Mer. Indiana. 121

80.00 Set a Post Corner to Sec. 1 + 12 from which
a Hickory 17 in. diam. bears S. 20° W. 30 links dist. &
an Elm 10 " " " N. 23° W. 8 " "
Land level and Mt Granite. Timber.
Swamp Ash, Elm, Oak, Hickory, &c. Underg.
S. Ash, Spice + Ironwood.

North On East Boundary of Sec 1

8. 15 A S. Ash 18 in. diam.

30. 16 A Hickory 24 in. diam.

40.00 Set up the Post from which
a Beech 14 in. diam. bears South 15 links dist. &
a Sugar 20 " " " N. 26° W. 31 " "

53.00 A Stream 35 links wide. Course

71.58 A Beech 14 in. diam.

79.50 A Stream 15 links wide. Course. N. E.

80.00 Set Post Corner to Towns 31 + 32 North. Ranges
14 + 15 East. Sec. 1. 6. 31 + 36 from which
a Buckeye 15 in. diam. bears N. 21° W. 18 lks. dist. &
a B. Ash 15 " " " N. 53° E. 31 " "

Land + Timber same as before.

David Willis P.S.

West Boundary sec. 5. + 6.

North On East Boundary of the 30 T 31 N. R 13 E.

9. 33 A S. Ash 18 in. diam.

40.00 Set a a gr. the Post, from which
a Burr Oak 16 in. diam. bears S. 8° W. 19 links dist. &
a Do 24 " " " N. 54° W. 11 " "

55.00 Enter ancient fallen timber

61. 18 A Burr Oak 24 in. diam.

69. 10 An Elm 8 " "

80.00 Set a Post Corner to Sec. 25 + 36 from which
a Buckeye 4 in. diam. bears S. 27° W. 11 links dist. &
an Elm 4 " " " N. 23° W. 16 " "

Land level + Mt 2nd rate. Timber. Ash. Buck.

T 31 N. R 14 E 2nd Mer. Indiana.

+ Elms. Undergrowth Chenwood &c.

North	On East Boundary of Sec 25 T 31 N. R 13 E.
3.50	Left fallen timber
26.93	A Beech 8 in. diam.
40.00	Set a gr. Sec Post. from which an Ironwood 4 in. diam. bears S 16 W 9 links dis. 38 a Do 6 " " " N. 51 W 10 " "
52.44	A Beech 18 in. diam.
56.70	A Stream 20 links wide. Course East.
80.00	Set Post Corner to Sec. 24 & 25 from which a Dogwood 5 in. diam. bears S 17 W 23 links dis. 58 a Beech 20 " " " N. 32 W 18 " " Land level 2 nd rate. Timber Ash, Beech & Hickory. + Oak. Undergrowth Ironwood, Dogwood + Spice.

North	On East Boundary of Sec 24 T 31 N. R 13 E.
23.45	A Swamp Ash 4 in. diam.
40.00	Set a gr. Sec Post from which a S. Ash 4 in. diam. bears S 6 W 18 links dis. 38 an Elm 15 " " " N. 16 W 12 " "
59.11	A S. Ash 16 in. diam.
79.93	A Spruce 4 " "
78.75	A Stream 15 links wide. Course West.
80.00	Set Post Corner to Sec. 13 & 14 from which a B. Ash 21 in. diam. bears S 7 W 23 links dis. 38 a Hickory 22 " " " N. 16 W 14 " " Land level 1 st & 2 nd rate. Timber Ash, Beech, Sugar. &c. Hickory. Undergrowth Ironwood. Bricky Ash, + Black Hawth.

North	On East Boundary of Sec. 13 T 31 N. R 13 E.
20.50	A Sugar 13 in. diam.
24.74	A Stream 20 links wide. Course SE.
29.84	A W. Oak 19 in. diam.

T 31 N. R 14 E 2nd Mer. Indiana, 123

- 38.00 A Stream 20 links wide. Course S.W.
 40.00 Set a q. Sec. Post from which
 an Elm 13 in. diam. bears S. 5 W. 35 links dist. &
 a Hickory 23 " " " N. 13 W. 19 " "
 55.48 A W. Oak 30 in. diam.
 70.93 A B. Oak 54 " "
 80.00 Set a Post Corner to Sec. 12 & 13 from which
 a B. Ash 6 in. diam. bears S. 71 W. 18 links dist. &
 a Beech 24 " " " N. 12 W. 25 " "
 Land & Timber as before.

- North On East Boundary of Sec 12. T 31 N. R 13 E.
 21.73 A Beech 12 in. diam.
 40.00 Set a q. Sec. Post from which
 a Sugar 5 in. diam. bears S. 13 W. 9 links dist. &
 a Beech 14 " " " N. 33 W. 35 " "
 55.00 A Beech 16 " "
 57.70 A Stream 24 links wide. Course South.
 80.00 Set a Post Corner to Sec. 1 & 2 from which
 a Hickory 16 in. diam. bears S. 18 W. 18 links dist. &
 a S. Ash 4 " " " N. 39 W. 18 " "
 Land level & Mt 2nd rate. Timber. Beech,
 Ash. Hickory, & Sugar. Undergrowth,
 Ironwood, Ash. & Hickory.

- North On East Boundary of Sec 1 T 31 N. R 13 E.
 23.69 A Beech 18 in. diam.
 40.00 Set a q. Sec. Post from which
 a Burr Oak 15 in. diam. bears S. 17 W. 47 links dist. &
 a S. Ash 12 " " " N. 56 W. 32 " "
 53.50 A Sugar 15 in. diam.
 70.13 A Red Oak 23 in. diam.
 80.00 Set Temporary Iron Corner Post.
 Land & Timber same as last mile.
 April 25th 1828 Surveyed by
 David Willis C.S.

Subdivisions

North Between Sec. 35 & 36

19.50 A Black Ash 18 in. diam.

40.00 Set a gr. Sec Post from which
a Hickory 24 in. diam. bears S 78° W 14 links dist.
a Buck 6 " " " S 63° W 4 " "

60.75 An Elm 24 in. diam.

80.00 Set a Post corner to Sec. 25, 26, 35 & 36

from which

a Linn 10 in. diam. bears N. 71° E 8 links dist. &

a Do 10 " " " S 60° W 18 " "

Land under water. Timber. B. & W. Ash.
Hickory. Linn. Burr Oak &c. Undergrowth
Spice &c. &c.

East On Random between Sec. 25 & 36

34.00 A Brook 30 links wide. course N.

40.00 Set Temporary gr. Sec Post,

61.77 An Elm 30 in. diam.

80.97 Intersect East Boundary 38 links South of
the Post.

Land & Timber same as last.

West Connected between Sec. 25 & 36

18.50 A Linn 15 in. diam.

40.48 Set a gr. Sec. Post at aver. dist. from which
a W. Ash 24 in. diam. bears S 2° W 12 links dist. &
a Hickory 18 " " " N. 6° E 36 " "

80.97 Set Sec corner

North Between Sec. 25 & 26

21.77 An Elm 30 in. diam.

33.00 Enter Willen Swamp

40.00 Set gr. Sec. Post in swamp no bearing trees

55.00 Leave the Swamp

62.10 A Maple 28 in. diam.

T 31 N. R 14 E 2nd Mer Indiana. ¹²⁵

80.00 Set a Post Corner to Sec. 23. 24. 25 & 26 from which
a Hickory 12 in. diam. bears S. 51 W. 22 links dist. &
a Lynn 15 " " " N. 52 E. 21 " "
Land & Timber same as before.

East On Random between Sec. 24 & 25

20.88 A W. Ash 15 in. diam.
40.00 Set Temporary gp. Sec. Post.
45.00 A narrow neck of Swamp impassable for some
distance S.W. & N.E. Marked West and
established gp. Sec. Post
40.00 A Lynn 8 in. diam. bears S. 63 E. 17 links dist. &
a B. Ash 12 " " " N. 26 W. 26 " "
Returned South and crossed Swamp thence
West Between Sec. 24 & 25.
18.00 Enter B. Ash Swamp
21.60 A Burr Oak 10 in. diam.
31.00 To Swamp. impassible
Land & Timber same as before

North Between Sec. 23 & 24

19.90 A Sycamore 28 in. diam.
40.00 Set a gp. Sec. Post from which
a Hickory 10 in. diam. bears S. 79 E. 14 links dist. &
a Do 16 " " " S. 66 W. 11 " "
60.00 A Brook 6 links wide course. N.W.
61.65 To Maumee River. & Set Post Corner to Sec.
23 & 24 from which
a W. Oak 10 in. diam. bears N. 64 W. 5 links dist. &
a Do 12 " " " S. 16 E. 18 " "
Land near the River high & Dry,
Balance same as before

West Between Sec. 13 & 24

40.00 Set a gp. Sec. Post from which
a Hickory 4 in. diam. bears S. 32 E. 32 links dist. &

T 31 N. R 14 E 2nd Mer Indiana

a Beech 15 in. diam. bears S. 22 W. 22 lks. dist.
 40.50 A Brook 5 links wide. Course, S. E.
 69.50 Intersect the Maumee River. N. E.

Set a Post Corner to Sec. 13 & 24 from which
 a Lynn 16 in. diam. bears S. 74 E. 40 links dist. &
 a Walnut 8 " " " S. 75 E. 36 " "
 Land 1st rate last 1/4 mile

North Between Sec. 34 & 35

22.93 An Elm 20 in. diam.

40.00 Set a gr. Sec Post from which
 a Hickory 24 in. diam. bears N. 68 E. 11 links dist. &
 a Do 24 " " " S. 68 W. 18 " "

54.68 A Hickory 20 in. diam.

70.00 A Brook 30 links wide Course N. W.

80.00 Set a Post Corner to Sec. 26 27 34 & 35 from which
 a Beech 20 in. diam. bears N. 35 E. 5 links dist. &
 a Do 12 " " " S. 40 W. 16 " "
 Land level & Wet. Timber. B. Ash. W. Ash
 Hickory. Elm. Lynn. Beech, &c.
 Undergrowth Elms, &c.

East Between Sec. 26 & 35 On Random.

19.95 A B. Ash 14 in. diam.

40.00 Set Temporary gr Sec Post.

58.45 A Red Oak 30 in. diam.

80.00 Intersect N & S line 84 links North of Post
 Land & Timber same as before

West Corrected between Sec. 26 & 35

21.50 An Elm 24 in. diam.

40.00 Set a gr Sec Post from which
 a Hickory 18 in. diam. bears N. 84 E. 52 links dist. &
 an Elm 48 " " " S. 74 W. 11 " "

59.50 A W. Ash 14 in. diam.

80.00 To Sec corner

T 31 N. R 14 E 2nd Mer. Indiana. 127

North Between Sec? 26 & 27

1, 50 Enter B. Ash Swamp

23, 00 A B. Ash 20 in? diam?

33, 00 Left the same

40, 00 Set a gp. Sec. Post from which
a Beech 6 in? diam. bears S. 30 W. 2 links dist.
a Lynn 12 " " " N. 40 E. 3 " "

59, 50 A Hickory 22 in? diam.

63, 00 A Brook 10 links wide, Course N. W.

80, 00 Set a Post Corner to Sec? 22 23. 26 & 27 from which
a Sugar 6 in? diam. bears N. 68 E. 11 links dist.
a Hickory 20 in? " " S. 68 W. 41 " "
Land South 1/2 same North 1/2 2nd rate.
Timber, Beech, Sugar, Hickory, Sugar
W. Ash, Lynn. &c.

East On Random between Sec? 23 & 26

21, 95 A Hickory 15 in? diam.

40, 00 Set Temporary gp. Sec. Post,

61, 90 A Hickory 20 in? diam.

80, 05 Intersect the N & S line 5 links South of Post.
Land level & Wet. Timber, B. Ash W. Ash,
Elm. Lynn &c. &c.

West Connected between Sec? 23 & 26

40, 02 Set a gp. Sec. Post at aver. dist. from which
a Burr Oak 20 in? diam. bears N. 34 E. 5 links dist.
& a B. Ash 18 " " " S. 34 W. 33 " "

80, 05 To Sec. Corner

North Between Sec? 23 & 22

19, 50 A Hickory 20 in? diam.

40, 00 Set a gp. Sec. Post from which
a Red Oak 40 in? diam. bears N. 82 E. 42 links dist.
& a B. Ash 20 " " " S. 74 W. 12 " "

63, 18 To Maumee River. Set a Post Corner to Sec?

T 31 N. R 14 E 2nd Mer Indiana

22. + 23 from which
 a W. Ash 10 in. diam. bears S 47 W. 20 links dist. &
 a Do 10 " " " S 84 E. 20 " "
 Land South of same as before Balance
 1st rate. Timber. Sugar. W. + Blue Ash,
 Red Elm. Beech. Buckeye, &c.
 Undergrowth Spice, &c.

North Between Sec 33 + 34

14. 46 A Sugar 12 in. diam.
 18. 00 A Brook 30 links wide. Course S. W.
 40. 00 Set a gr. Sec. Post from which
 a Sugar 16 in. diam. bears S 41 W. 39 links dist. &
 a W. Ash 20 " " " N. 39 E. 43 " "
 58. 30 A Lynn 10 in. diam.
 69. 00 A Brook 30 links wide.
 75. 50 A Brook 10 links wide. Course S. W.
 80. 00 Set a Post Corner to Sec. 27. 28. 33 + 34
 from which
 a Br. Oak 30 in. diam. bears S. 5 W. 31 links dist. &
 an Elm 20 " " " S. 22 E. 8 " "
 Land 2nd rate. Timber. B. + W. Ash,
 Elm. Hickory. Beech. Sugar + Lynn.

East On Random between Sec. 27 + 34

5. 00 A Brook 10 links wide. Course S. W.
 7. 50 Enter Swamp
 20 10 A Hickory 16 in. diam.
 40. 00 Set Temporary gr. Sec. Post.
 61. 16 A B. Ash 12 in. diam.
 77. 50 Leave Swamp
 80. 16 Intersect the N. + S. line 64 links North
 of the Post
 Land &c. Swampy. Timber. B. Ash
 Elm. Maple &c.

129

T 31 A. R 14 E 2nd Mer. Indiana.

West Connected between Sec. 27 + 34

25.26 A Maple 12 in. diam.

40.08 Set a gr. Sec. Post at area. dist. from which
a Maple 10 in. diam. bears N 58 E 9 lks. dist. &
a Do 6 " " " S 6 E 20 " "

51.16 A Red Oak 30 in. diam.

80.16 To Sec. Corner,

North Between Sec. 27 + 28

23.05 A Sugar 12 in. diam.

31.93 To Maumee River + Set Post from which
a Red Oak 20 in. diam. bears S 36 W 2 lks. dist. &
a Do 10 " " " N 81 E 22 " "

Land 2nd rate. Timber. Beech, Red Oak
W. Oak, W. Ash, &c.

West Between Sec. 22 + 27

20.00 A Brook 5 links wide. Course N.

21.82 A Hickory 24 in. diam.

33.41 To Maumee River, and Set Post from which
a W. Oak 12 in. diam. bears N 37 E 11 links dist. &
a Do 8 " " " S 23 W 34 " "

38.30 Leave the River and Set a Post from which
a Beech 24 in. diam. bears S 82 W 24 links dist. &
a W. Oak 20 " " " S 62 E 36 " "

40.00 Set a gr. Sec. Post from fri
a Hickory 24 in. diam. bears N 71 W 46 lks. dist. &
a Burr Oak 16 " " " S 26 E 20 " "

40.50 A Brook 5 links wide. Course, N.

62.50 To River and Set a Post from which
an Elm 8 in. diam. bears S 29 W 6 links dist. &
a Sugar 16 " " " N 35 E 61 " "

Land East 1/2 mile. 2nd rate. Last 1/2 1st rate.
Timber Sugar. Beech. W. Ash. B. Walnut, &c.

North Between Sec. 32 + 33

T 31 N R 14 E 2nd Mer. Indiana,

- 25.60 A Beech 12 in. diam.
 40.00 Set a gr. Sec. Post. from which
 a W. Ash 12 in. diam. bears N 62 W. 20 links dist. &
 an Elm 4 " " " S. 71 E. 13 " "
 48.60 A Brook 10 links wide. Course, S. W.
 64.60 A Red Oak 30 in. diam.
 80.00 Set a Post Cor. to Sec. 28 29, 32 + 33 from which
 a Sugar 10 in. diam. bears S. 24 W. 18 links dist. &
 an Elm 8 " " " S. 29 W. 61 " "
 Land 2nd rate. Timber. Beech. Sugar.
 Br. + W. Oak. B. + W. Ash. Hickory.
 Linn. Red Oak. &c. &c.

- East On Random between Sec. 28 + 33
 4.50 A Brook 10 links wide. Course S.
 40.00 Set Temp. gr. Sec. Post.
 64.00 A Beech 20 in. diam.
 63.00 A Brook 50 links wide. Course North
 80.20 Intersect N + S line 52 links South of Post.
 Land + Timber same as before.

- West Connected between Sec. 28 + 33
 19.25 A Re Elm in. diam.
 40.00 Set a gr. Sec. Post. at aver. dist. from which
 a Beech 18 in. diam. bears N 18 W. 35 links dist. &
 a Do 24 " " " S. 41 E. 52 " "
 80.20 To Sec. Corner

- North Between Sec. 28 + 29
 5.61 To River + Set a Post. from which
 a B. Walnut 36 in. diam. bears N 80 E. 31 links dist.
 a Linn 8 " " " N. 55 W. 3 " "
 Land 1st rate. Timber. B. Walnut. Sugar.
 Beech.

- West. Between Sec. 29 + 32

T 31 N. R. 14 E 2nd Mer. Indiana.

- 5.64 To River and Set Post from which
 a Beech 30 in. diam. bears S. 41 W. 17 links dist. &
 a Hickory 24 " " " S. 24 E. 43 " "
 Land & Timber same as before.

North Between Sec. 31 & 32

- 23.38 A Sugar 12 in. diam.
 40.00 Set a gr. Sec. Post from which
 a W. Oak 16 in. diam. bears S. 46 E. 5 links dist. &
 a Lymn 12 " " " N. 61 W. 29 " "
 41.06 To Maumee River and Set Post from which
 a Sugar 18 in. diam. bears S. 75 W. 13 links dist. &
 a Do 16 " " " S. 79 E. 23 " "
 To the corner
 Land 2nd rate, Timber. Beech. Sugar
 B. & W. Ash. Elm. Hickory. Lymn &c.
 Amen.

Meanders of the Right Bank. of the
 Maumee River in Town 31 North.

Range 14 East

From post on Range line between Ranges
 14 & 15. Thence up Stream.

Course Distances Remarks.

N 87 W 12.00

N 72 W 12.00

S 49 W 4.50

S 21 W 5.75

Bottom

S 3 E 5.25

S 23 E 4.00

S 37 E 6.20

S 24 E 14.50

In Sec 13

S 3 E 7.18

S 9 W 5.50

T 31 A R 14 E 2nd Mer. Indiana

S 25 W 7.00 In Sec 13
 S 32 W 4.50 High Bank.
 S 38 W 5.38
 S 73 W 5.00
 S 87 W 7.00 At 4.00 A Run from the South
 N 81 W 21.00
 S 68 W 6.90
 S 44 W 1.40 Intersect Section line between 13 & 24

S 11 W 7.50
 S 27 W 10.00
 S 87 W 2.86 Intersect Sec. line between Secs 23 & 24

S 70 W 4.24
 N 77 W 5.75 At 1.50 A Run from the South.
 N 33 W 8.50 At 1.50 A Brook 10 links wide, S.W.
 N 29 W 14.75
 N 70 W 6.42 In Sec. 23
 S 54 W 4.35
 S 26 W 16.00
 S 14 E 8.10
 S 40 E 9.00
 S 11 W 13.00
 S 43 W 12.50
 S 74 W 9.31
 N 33 W 5.70
 N 19 W 5.50
 N 11 W 28.16 At 9.50 A Brook 10 links from S.W.
 N 73 W 5.22
 West. 6.50
 S 78 W 1.72 Intersect the line between Secs 22 & 23

S 69 W 9.72
 S 53 W 7.76
 S 70 W 10.18 Opposite a small Island
 S 45 W 19.50

133

T. 31 N. R. 14 E. 2nd Mer. Indiana,

§31 E 4.76

§63 E 10.12

§31 E 8.10

§7 E 7.58

§2 W 6.28

§26 W 5.76

Bank.

§59 W 6.62

§62 W 3.80 Intersect line between Sec. 22 + 27

West 4.90 On Sec line.

At 7 W 5.00 At 2.00 A Run from the South.

At 5 W 2.50

At 8 W 10.00

§82 W 3.50

§57 W 4.00

§24 W 5.00 At 4.74 Intersect the line between Sec. 22 + 27

§1 W 12.50

§12 W 17.50 In Sec 27

§3 W 8.00 At 50 lks. . . . A Run from East, 10' links wide,

§43 W 12.00 Intersect line between Sec. 27 + 28.

§50 W 5.00

§84 W 6.30 To the Mouth of a Creek 100 links wide from the S.W.

At 8 W 8.60

§57 W 8.73

§24 W 18.30

In Section 28.

§50 W 6.28

§77 W 11.50

At 3 W 13.00

At 7 W 11.50 At 9.50 A Run from S.W.

§84 W 6.50

§48 W 1.60 Intersect the line between Sec. 28 + 29.

134

T 31 N. R 14 E 2nd Mer. Indiana

S 47 W 6.50

On Sec 29

S 34 W 1.95

Intersect the line between Sec. 29. & 32

S 34 W 4.00

S 23 W 15.00

S 42 W 12.00

On Sec 32

S 61 W 6.65

S 77 W 4.55

S 63 W 9.68

N 71 W 6.91

N 44 W 17.35

S 44 W 6.81

S 30 W 4.14

S 42 W 5.00

S 50 W 9.60

S 37 W 4.75

S 68 W 4.00

S 69 W 2.20 Intersect the line between Sec. 31 & 32.

S 69 W 9.00

S 30 W 10.00

S 7 W 25.00

S 36 W 4.00

S 52 W 1.65 Intersect the Town line between Towns
30 & 31 N. R 14 E.

Surveyed in 1822

by James Riley. P.S.

North Between Sec. 23 & 24

69.02 Over Maumee River & set Meander Post.
from which
a Willow 5 in. diam. bears N 57 $\frac{1}{2}$ E 10 links dist. &
a Do 5 " " " S 24 E 7 " "

80.00 Set a Post Corner to Sec. 13. 14. 23 & 24 from which
a Hockberry 5 in. diam. bears S 85 E 13 links dist. &
a Sugar 20 " " " N 41 W 30 " "
Sandwich Bottom

P.S. I cannot East to Meander Post. I shall
therefore go to the Meander Post on the West
side of the River, and run directly to the
Sec. Corner. But from the Meander
Post on East side of River. Thus

West Between Sec. 13 & 24

76.46 Over the Maumee River & set Sec. Post.
An Elm 10 in. diam. is Meander Post &
witness is
a Buckeye 10 in. diam. bears N 45 W 2 links dist.
& thence S 63 $\frac{1}{2}$ W 4.67 links to Section
Corner of 13. 14. 23. & 24
There was no other way to close this line
so that the platting may be correct
Wm. Brookfield,

North Between Sec. 13 & 14

23.50 A Hickory 18 in. diam.

40.00 Set a q. Sec Post from which
a Hickory, 18 in. diam. bears S 37 W 19 links dist.
& a W. Ash 16 " " " N. 25 $\frac{1}{2}$ E 8 " "

59.95 A W. Oak 25 " "

80.00 Set a Post Corner to Sec. 11. 12. 13 & 14

from which
an Elm 16 in. diam. bears S 25 $\frac{1}{2}$ E 13 links dist. &
a Blk Ash 13 in. " " " N. 23 W 10 " "

T 31 N. R 14 E 2nd Mer. Indiana.

Land level & wet, but rich Timber
W. Oak. Beech. Elm. Black & White Ash.

East On Random between Sec. 12 & 13
40.00 Set Temporary gr. Sec. Post
79.35 Intersect the East Boundary 3.08 links South
of the Post.
Land & Timber same as before.
As $79.35 : 57^{\circ} 3' :: 3.08 : 2.56' + 5.30' = 8.26'$ East
Var. to West to close correctly.

West Corrected West at $8^{\circ} 26' E$
39.67 1/2 Set a gr. Sec. Post at aver. dist.
an Elm 10 in. diam. for gr. Sec. Post.
79.35 To Sec. Corner.

North Between Sec. 11 & 12
20.00 A W. Oak 16 in. diam.
40.00 Set a gr. Sec. Post. from which
an Elm 10 in. diam. bears $S 15^{\circ} W. 27$ lks. dist. &
a Sycamore 13 " " $S 70^{\circ} E. 25$ " "
62.68 An Elm 18 in. diam.
80.00 Set a Post Corner to Sec. 1. 2. 11 & 12 from which
an Elm 13 in. diam. bears $S 56^{\circ} W. 20$ lks. dist. &
a Syc 12 " " " $N 55^{\circ} W. 19$ " "
Land &c same as before

East On Random between Sec. 1 & 12
At a Var. of $8^{\circ} 26' E$.
40.00 Set Temporary gr. Sec. Post
78.59 Intersect the East Boundary 4 links N. of Post
Land & Timber same as before

West Corrected between Sec. 1 & 12
39.29 1/2 Set a gr. Sec. Post at aver. dist. from which
a Blk. Ash 14 in. diam. bears $S 56^{\circ} W. 18$ links dist. &

T 31 N. R 14 E 2nd Mer. Indiana. ¹³⁷

a W. Oak 14 in. diam. bears N. 14 W. 8 links dist.
78.59 To Sec. corner

North Between Sec. 1 & 2

21.50 An Ironwood 7 in. diam.

40.00 Set a gr. Sec Post from which
a W. Oak 20 in. diam. bears N 40 E 30 lks dist. &
a Do 16 " " " S 40 W. 14 " "

55.73 A Hickory 7 in. diam.

88.55 Intersect the North Boundary 200 links East
of the Post

Set Post Corner to Sec. 1 & 2 from which
a Beech 4 in. diam. bears S 38 E 24 links dist.
& a Sycamore 36 in. " " S 79 W. 8 " "
Land &c same as before.
March 5th 1829.

North Between Sec. 22 & 23

69.68 Over the Maumee River & set a Post from which
an Elm 24 in. diam. bears N 52 W. 39 links dist.
& a Blue Ash 15 in. " " N 56 E 70 " "

80.00 Set Post Corner to Sec. 14. 15. 22 & 23 from which
a Beech 18 in. diam. bears South 18 lks. dist. &
a Sugar 18 " " " S 56 E 4 " "
Land high & rich, Timber, Beech, Sugar,
Elm, Bk. Walnut, Butternut, &c.

East On Random between Sec. 23 & 14

16.75 A Brook 10 links wide, Course S. W.

40.00 Set temporary gr. Sec Post.

42.31 Came to River Course South

68.43 Leave Do.

80.00 Intersect the N & S line at Post.

Land & Timber same as before

West Corrected between Sec. 23 & 26

T 31 N. R 14 E Ind. Mer. Indian

13 57 Came to River and Set Meander Post
 from which a
 Syc 9 in. diam. bears N. 32 W. 8 lks. dist. & a
 Buck 9 " " " S. 82 E. 20 lks dist.
 37. 61 Leave River & Marked a
 Buckeye 8 in. diam. for Meander Post.
 40.00 Set a gr. Sec Post, from which
 a W. Oak 4 in. diam. bears S. 3 W. 10 links dist. &
 a Buck 18 " " " N. 55 E. 57 " "
 80.00 To Sec. Corner

North Between Sec 14 & ~~2~~ 15

19. 74 A Hickory 18 in. diam.
 40.00 Set a gr. Sec Post from which
 a Syc 14 in. diam. bears S. 1 1/2 W. 11 links dist. &
 a Buck 9 " " " N. 86 1/2 E. 21 " "
 55.00 A Syc 15 in. diam.
 80.00 Set a Post Corner to Sec. 10. 11. 14 & 15 from which
 a W. Oak 14 in. diam. bears S 88 E 29 links. dist. &
 a Cottonwood 24 in. " " S. 65 1/3 W. 31 " "
 Sand level met & Rich W. Oak. Buck,
 Sugar. Hickory. Elm, Cottonwood Syc,
 Maple. &c. &c.

East On Random between Sec. 11 & 14

40.00 Set Temporary gr. Sec Post.
 80. 75 Intersect the N & S line 19 links North of Post
 Sand & Timber same as before

West Connected between Sec 11 & 14

40. 37 1/2 Set a gr. Sec Post at river. dist. from which
 a W. Oak 24 in. diam. is gr. Sec. Corner,
 on Elm 10. " " bears East 8 links dist.
 80. 75 To Sec. Corner

North Between Sec 10 & 11

139

T 31 N. R 14 E Dra. Mer. Indiana,

- 19.46 An Elm 8 in. diam.
 40.00 Set a gr. Sec Post from which
 a Lync 5 in. diam. bears S. 13 1/2 E. 23 links dist.
 a Do 4 " " " N. 11 1/2 E. 22 " "
 57.63 A Lync 10 in. diam.
 80.00 Set a Post Corner to Sec. 2. 3. 10 + 11 from which
 a Sycamore 10 in. diam. bears S. 29 N. 22 lks. dist.
 a Beech 14 " " " N. 5 E. 25 " "
 Land & same as before

- East On Random between Sec 2 + 11
 40.00 Set a temporary gr. Sec Post.
 81.21 Intersect the N + S line 34 links North of Post.
 Land & Timber same as before

- West Corrected between Sec. 2 + 11
 40.60 1/2 Set a gr. Sec. Post at aver. dist. from which
 a Beech 9 in. diam. bears N. 9 E. 10 links dist.
 a Do 12 " " " S. 28 N. 26 " "
 81.21 To Sec Corner

- North Between Sec. 2 + 3
 20.95 A Hickory 10 in. diam.
 40.00 Set a gr. Sec. Post. from which
 a Red Oak 24 in. diam. bears N. 46 W. 3 lks. dist.
 a Beech 20 " " " S. 41 W. 19 " "
 61.03 A Hickory 12 in. diam.
 88.61 Intersect the North Boundary 361 links
 East of the Post.
 Set a Post Corner to Sec. 2 + 3 from which
 a Beech 16 in. diam. bears S. 56 1/2 W. 40 lks. dist.
 a Do 9 " " " S. 77 E. 37 " "
 Land & Timber same as before
 Friday March 6th 1829

- North Between Sec. 28 + 29

T 31 N. R 14 E 2nd Mer. Indiana

- 10.56 Over Maumee.
 .A Red Oak 3 in. diam. is Meander Post.
 26.78 A Sugar 14 in. diam.
 40.00 Set a gr. Sec. Post. from which
 a W. Oak 22 in. diam. bears N. 67 E. 13 links dist. &
 a Red Oak 28. " " S. 31 E. 16 " "
 61.03 A Beech 4 in. diam.
 80.00 Set a Post Corner to Sec. 20. 21. 28 & 29 from which
 a Beech 14 in. diam. bears S. 32 E. 28 links dist. &
 a Co 12 " " " N. 6 1/2 E. 26 " "
 Land level 1st rate, Timber, Beech,
 Sugar W. Oak & W. Ash,

- East Between Sec. 21 & 28
 00.44 Intersect the Reserve line
 a Beech 18 in. diam. bears N. 46 E. 10 links dist. &
 a Co 10 " " " S. 2 1/2 W. 41 " "

- North Between Sec. 20 & 21
 00.41 Intersect Reserve line S.E. of
 West Angle of the Reserve 1 chain & 89
 links from which
 a Beech 13 in. diam. bears S. 18 E. 15 lks. dist. &
 a Syc 16 " " " N. 1 E. 10 " "
 2.82 Leave Reserve & Set a Post from which
 a Sugar 13 in. diam. bears S. 86 1/2 W. 42 lks. dist. &
 a Beech 6 " " " N. 6 1/2 E. 20 " "
 and N.E. of West Angle 2, 11 links
 21.76 A Syc 14 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 12 in. diam. bears S. 25 1/2 E. 23 lks. dist. &
 a Co 16 " " " N. 13 W. 19 " "
 57.52 A Syc 6
 78.00 A Dry Brook 18 links wide. Course Co.
 80.00 Set Post Corner to Sec. 16 17. 20 & 21. from which
 a Syc 14 in. diam. bears S. 18 E. 33 lks. dist. &

144

T 31 N. R 14 E 2nd Mer. Indiana.

a Beech 14 in. diam. bears N 50° E 38 lks. dist.
Land level & 1st rate. Timber same.

East Between Sec. 16 & 21 On True line
3. 50 A Dry Brook 20 links wide. Course N. E.
5. 50 A Do " " " " S. E.
19. 15 A Black Ash 16 in. diam.
44. 00 Set a gr. Sec. Post from which
a W. Oak 18 in. diam. bears N 27° 20 links dist.
a Elm 30 " " " S. 65° E. 24 " "
62. 82 A Beech 24 in. diam.
80. 00 Set a Post Corner to Sec. 15. 16. 21 & 22
from which
a W. Oak 16 in. diam. bears N. 37° 24 lks. dist.
a W. Oak 26 " " " S. 32° 11 " "
Land & Timber same as before.

South Between Sec. 21 & 22
To Close on Reserve
19. 85 A Red Oak 22 in. diam.
40. 00 Set a gr. Sec. Post An Elm 6 in. diam.
is 1/4 Sec. Post from which
a Black Ash 15 in. diam. bears S. 37° 13 lks. dist.
43. 34 Intersect the Reserve line 6. 67 links
West of a Lynn Station 18 in. diam.
Set a Post Corner to Sec. 21 & 22 from which
a Red Oak 26 in. diam. bears N. 15° 23 lks. dist.
a Hickory 9 " " " N. 73° E. 21 " "
Land & Timber same as before.

East On Random between Sec. 15 & 22
40. 00 Set Temporary gr. Sec. Post.
83. 36 Intersect the N & S line 17 links South
of the Post.
Land and Timber same as before.

T 31 N. R 14 E 2nd Mer. Indiana.

West Corrected between Sec. 15 & 22
 41.68 Set a gr. Sec. Post at aver. dist.
 A Beech 3 in. diam. is Corner from which
 a Do 14 " " bears S. 16 E. 11 links dist.
 83.36 To Section Corner

North Between Sec. 15 & 16
 26.78 A Black Ash 18 in. diam.
 40.00 A Linn 4 in. diam. is gr. Sec. Corner
 from which a
 Beech 15 in. diam. bears S. 16 W. 20 links dist.
 60.49 A Linn 6 in. diam.
 80.00 Set a Post Corner to Sec. 9. 10. 15 & 16 from which
 a W. Ash 14 in. diam. bears S. 16 W. 20 links dist. &
 a Do 14 " " " S. 39 1/2 W. 40 " "
 Land & Timber same as before.

East On Random between Sec. 10 & 15
 40.00 Set Temporary gr. Sec. Post.
 83.80 Intersect the N & S line 15 links S. of Post.
 Land & Timber same as before.

West Corrected between Sec. 10 & 15
 41.90 Set a gr. Sec. Post at aver. dist. from which
 an Elm 10 in. diam. bears S. 56 1/2 W. 15 links dist. &
 a Do. 28 " " " N. 45 E. 11 " "
 53.80 To Sec. Corner

Sunday March 8th 1829

North Between Sec. 9 & 10
 21.12 A Maple 9 in. diam.
 40.00 Set a gr. Sec. Post from which
 a W. Ash 16 in. diam. bears S. 82 E. 24 links dist. &
 a Do 18 " " " N. 30 W. 13 " "
 60.60 A W. Ash 16 in. diam.
 80.00 Set a Post Corner to Sec. 3. 4. 9 & 10 from which

T 31 N. R 14 E 2nd Mer. Indiana. ¹⁴³

a Black Ash 11 in. diam bears S. 71 1/3 W. 20 lks dist.
+ an Elm 15 " " " N. 54 E. 31 " "
Land & Timber same as before.

North Between Sec. 16 & 17

20.58 A Black Ash 11 in. diam.
40.00 Set a gr. Sec. Post. from which
a Spruce 12 in. diam. bears S. 79 E. 19 links dist.
a Buck 6 " " " S. 6 E. 15 " "
60.10 A Maple 15 in. diam.
80.00 A W. Oak 10 in. diam. is Corner to Sec.
8. 9. 16 & 17. from which
a W. Ash 18 in. diam. bears N. 64 E. 30 lks. dist.
a Land & Timber same as before.

East On Random between Sec. 9 & 16

40.00 Set Temporary gr. Sec. Post.
79.98 Intersect the N & S line 6 links North of Post.
Land & Timber same as before.

West Corrected between Sec. 9 & 16

39.99 Set a gr. Sec. Post at aver. dist. from which
an Elm 8 in. diam. bears S. 70 W. 31 links dist.
a Co 5 " " " S. 46 E. 15 " "
79.98 To Sec. corner.

North Between Sec. 8 & 9

21.60 A Buck 30 in. diam.
40.00 Set a gr. Sec. Post. from which
a Black Ash 18 in. diam. bears N. 4 1/2 E. 21 lks dist.
and an Elm 9 " " " S. 74 E. 35 " "
53.83 An Elm 26 in. diam.
56.00 A Brook 20 links wide. Course S. E.
79.50 Do 20 " " " S. W.
80.00 Set Post Corner to Sec. 4. 5. 8 & 9 from which
a Buckeye 10 in. diam. bears N. 44 1/2 E. 45 lks. dist.

T31 N. R. 14 E 2nd Mer Indiana.

a W. Ash 26 in. diam. bears N. 67 N. 92 links dist.
Land 1st rate. Timber. Sugar. Elm. Beech
Black Walnut &c.

* East On Random between Sec. 3 & 10
40.00 Set temporary op. the Post
83.78 Intersect the N & S line 63 links South of Post.
Land &c. same as before

West Corrected between Sec. 3 & 10
41.89 Set a gr. Sec. Post at acc. dist. from which
a W. Ash 15 in. diam. bears S. 15 E. 11 links dist. &
a Black Ash 14 in. " " S. 65 N. 36 " "
83.78 To Sec. Corner.)

North Between Sec. 3 & 4
30.16 A Sugar 9 in. diam.
40.00 Set a gr. Sec. Post. from which
a Sugar 9 in. diam. bears S. 63 E. 30 links dist. &
a Do 4 " " " N. 18 W. 9 " "
63.40 A Black Walnut 24 in. diam.
73.00 A Brook 15 links wide. course S.E.
90.47 Intersect the North Boundary 63 links East
of the Post.
Set Post Corner to Sec. 3 & 4 from which
a Black Walnut 30 in. diam. bears S. 11 E. 12 links dist. &
a Sugar 16 in. diam. bears S. 60 W. 11 " "
Land 1st rate. &c.

East On Random between Sec. 4 & 9
00.30 A Brook 20 links wide. course S.W.
40.00 Set temporary op. Sec. Post.
40.01 Intersect East Boundary at Post.
Land Rolling 1st rate. Timber. Beech
Black Walnut Sycamore. Butternut &c.

145

T 31 N. R 14 E. 2nd Mer. Indiana.

West Corrected between Sec? 4 + 9
 46.00 Set a q. Sec. Post on true line from which
 a Hickory 12 in. diam. bears N 70 E 15 lks. dis. 5
 a W. Oak 25 " " " N 30 W 10 " "
 80.00 To Section Corner
 Monday March 9th 1829

North Between Sec? 4 + 5
 10.20 S Brook 20 links wide. Course E. of V.
 19.22 S W. Oak 36 in. diam.
 24.00 S Brook 20 links wide. Course S. W.
 31.00 Do 20 " " " S. E.
 46.00 Set a Post for 1/4 Sec. from which
 a Beech 10 in. diam. bears N 69 E 32 links dis. 5
 a Sugar 10 " " " S. 69 W. 24 " "
 60.85 S. Beech 24 in. diam.
 90.65 Intersect the North Boundary 2.97 links
 East of the Post.
 Set a Post Corner to Sec? 4 + 5 from which
 a Beech 20 in. diam. bears S. 71 1/2 W. 31 lks. dis. 5
 a Sugar 20 " " " S. 41 1/2 E. 28 " "
 Land &c. same as before

North Between Sec. 31 + 32
 45.64 Over the Maumee and Set Meander Post.
 from which
 an Elm 12 in. diam. bears S. 83 1/2 W. 63 links dis. 5
 a Do 22 " " " N. 3 1/2 W. 16 " "
 61.30 A Syc 8 in. diam.
 80.00 Set a Post Corner to Sec? 29. 30 31 + 32
 from which an
 Elm 14 in. diam. bears N 53 W 25 links dis. 5
 a Beech 7 " " " N 85 E 25 " "
 Land level, Timber, Elm, Beech, Red O
 Syc. &c. &c.

T. 31 N. R. 14 E. 2nd Mer. Indiana.

East On Random between Sec. 29 + 32

40.00 Set a Temporary gr. Sec Post.

69.18 Maumee to P.Mc. Post.

Land &c same.

West Connected between Sec. 29 + 32

10.82 Over Maumee West side. A Buckeye 12 in. diam. is Meander Post.

40.00 Set a gr. Sec Post on true line from which
a Beech 9 in. diam. bears N 70 E 28 links dist. 8
a Do 20 " " " N. 43 W 18 " "

80.00 To Sec Corner

West Between Sec. 30 + 31

18.75 A Spruce 20 in. diam.

40.00 Set a gr. Sec Post from which
a Beech 11 in. diam. bears N 34 W 8 links dist. 8
a Poplar 5 " " " S. 57 E. 30 " "

43.80 A Brook 12 links wide. Course S. E.

60.21 A Beech 12 in. diam.

87.32 Intersect the West Boundary 6.80 links West of the Post.

Set a Post Corner to Sec. 30 + 31 from which
an Elm 12 in. diam. bears N. 63 E. 7 links dist. 8
a Black Ash 5 " " S. 23 E. 22 " "

Land & timber same as before.

North Between Sec. 29 + 30

21.51 A Beech 15 in. diam.

40.00 Set a gr. Sec post from which
a Spruce 6 in. diam. bears S. 36 W. 24 links dist. 8
a Beech 15 in. " " N. 48 E. 21 " "

61.63 A Hickory 30 in. diam.

80.00 Set a Post Corner to Sec. 29. 20. 29 + 30 from which
an Elm 18 in. diam. bears N 71 E 8 links dist. 8
a Do 15 " " " S 64 W 21 " "

147

T 31 N. R 14 E 2nd Mer. Indiana,

Land & same as before

East On Random between Sec. 20 + 29
40.00 Set temporary gr. the Post.
79.58 Intersect the N + S line 90 links North of Post
Land & Timber same as before

West Corrected between Sec. 20 + 29.
39.79 Set a gr. the Post. at a cor. dist from which
a Beech 13 in. diam. bears N 13 E 17 links dist.
a Red Oak 28 in. " " S. 78 W. 38 " "
79.58 To the corner

West Between Sec. 19 + 30
20.00 A W Oak 36 in. diam.
40.00 Set a gr. the Post from which
a Beech 14 in. diam. bears N 3 E 9 links dist.
a Hickory 20 " " " S. 10 W. 14 " "
63.14 A Beech 18 in. diam.
87.67 Intersect the West Boundary 6.85 links South
of the Post
Set Post Corner to Sec. 19 + 30 from which
a Beech 10 in. diam. bears N 4 E 25 lks. dist.
a Do 6 " " " S. 67 1/2 E. 29 " "
Land & Timber same as before

North Between Sec. 19 + 20
20.65 An Elm 5 in. diam.
40.00 Set a gr. the Post from which
a Red Oak 13 in. diam. bears N 63 W. 13 lks. dist.
a Blk. Ash 10 in. " " N. 59 E. 18 " "
64.35 A Hickory 18 in. diam.
80.07 Set a Post Corner to Sec. 17-18. 19 + 20 from which
a Beech 13 in. diam. bears S. 23 1/2 W. 12 lks. dist.
a Sugar 8 " " " N. 17 E. 32 " "
Land & Timber same as before

T. 31 N. R. 14 E 2nd Mer Ind.

East On Random between Sec. 17 + 20
 40.00 Set Temporary or See Post.
 80.13 Intersect the N + S line 74 links North
 of the Post
 Land & timber same as before.
 Tuesday March 10th 1829

West Connected between Sec. 17 + 20
 40.00 Set a gr. See Post from which
 a Sugar 14 in. diam. bears N 67° E 40 links dist.
 & a Beech 15 in. " " S 89° E 36 " "
 80.13 To Section Corner

West Between Sec. 18 + 19
 20.91 A Black Ash 14 in. diam.
 40.00 Set a gr. See Post from which
 a W. Oak 15 in. diam. bears N 97° 21 W. dist. 48
 a Do 16 " " " S. 57° 24 " "
 58.74 A Black Ash 12 in. diam.
 88.90 Intersect the West Boundary 8.14 links
 South of the Post.
 Set a Post Corner to Sec. 18 + 19 from which
 a Sugar 16 in. diam. bears N 18° E 12 links dist.
 a Do 16 " " " S. 33° E 46 " "
 Land &c. same as before.
 P. S. I would rather run the Township
 lines gratis, than to be reved by correcting
 bad work like this District

North Between Sec. 17 + 18
 20.43 An Elm 14 in. diam.
 40.00 Set a gr. See Post from which
 a Black Ash 16 in. diam. bears S 42° E 26 links dist.
 & a Beech 12 " " " S. 49° 19 " "
 58.55 A W. Oak 15 in. diam.
 80.00 Set a Post Corner to Sec. 7. 8. 17 + 18 from which

149

T 31 N. R 14 E. 2nd Mer. Indiana.

a Sugar 20 in. diam. bears S 15 N. 7 links dist.
 a Buckeye 5 " " " S. 76 E. 20 " "
 Land & Timber same as before,

East On Random between Sec. 8 & 17
 40.00 Set temporary gr. Sec Post.
 81.19 Intersect N & S line at Post.
 Land & Timber same as before.
 quit on account of Storm.
 Wednesday March 11th 1829.

West Corrected between Sec. 8 & 17
 40.59 Set a gr. Sec Post at aver. dist. from which
 a Hickory 10 in. diam. bears N. 75 E. 5 lks. dist.
 a Black Ash 8 in. " " S. 43 N. 24 " "
 81.19 To Section Corner

West Between Sec. 7 & 18
 20.15 A Hickory 28 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 16 in. diam. bears S. 87 E. 16 links dist.
 a Spruce 24 " " " N. 59 N. 16 " "
 50.13 A Beech 11 in. diam.
 88.17 Intersect the West Boundary 10.33 links
 South of the Post
 Set a Post Corner to Sec. 7 & 18 from which
 a Black Ash 15 in. diam. bears S. 80 E. 13 lks. dist.
 a Beech 9 " " " N. 70 E. 38 " "
 Land &c. same as before

North Between Sec. 7 & 18
 18.85 a Beech 8 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Sugar 15 in. diam. bears N. 40 E. 35 links dist.
 a Oak 6 " " " S. 70 N. 16 " "
 50.50 A Brook 8 links wide, Course N. E.

57.48 A Beech 12 in. diam.
 80.00 Set a Post Corner to Sec. 5, 6, 7 & 8 from which
 a Sugar 11 in. diam. bears S 24 E 11 links dist. &
 a Hickory 4 " " " N. 75 W. 18 " "
 Land & Timber same as before.

East On Random between Sec. 5 & 8
 40.00 Set temporary gr. Sec. Post
 63.00 A Brook 10 links wide, Course S.E.
 80.50 Intersect the N. & S line 5 links N. of Post.
 Land &c same as before.

West Corrected between Sec. 5 & 8
 40.25 Set a gr. Sec. Post at aver. dist. from which
 a Hickory 24 in. diam. bears N. 22 W. 6 lks. dist. &
 a Spruce 9 " " " S. 17 W. 22 " "
 80.50 To Section Corner.

West Between Sec. 6 & 7
 24.09 A Sugar 8 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 12 in. diam. bears N. 5 W. 25 lks. dist. &
 a Do 9 " " " S. 12 E. 23 " "
 60.00 A Spruce 9 in. diam.
 87.39 Intersect the West Boundary 11.33 links
 South of the Post.
 Set Post Corner to Sec. 6 & 7 from which
 a Beech 13 in. diam. bears N. 41 E. 14 lks. dist. &
 a Do 4 " " " S. 27 E. 38 " "
 Land & Timber same as before

North Between Sec. 5 & 6
 19.78 A Sugar 16 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 8 in. diam. bears S 35 E 21 links dist. &
 a Do 20 " " " N. 18 E. 22 " "

151

T 31 N. R 14 E. 2nd Mer. Indiana.

60, 21 A Beech 10 in. diam.
 91, 25 Intersect the North Boundary. 2 21 links
 East of the Post
 The Post Corner to Sec. 5 & 6 from which
 a Beech 15 in. diam. bears S 68° W 63 the dist. 32
 a Red Oak 3 in. diam., S 7 E 18 " "
 Land & Timber same as before.
 Friday March 13th 1829
 William Brookfield,
 Q. S.

Meanders of Maumee on the Left
 Bank in Town 31 N. R. 14 E.
 Beginning on Range line between
 Ranges 14 & 15. Thence up Stream,

Courses. Distances Remarks.

S 77° W. 1.50

N 81° W 23.50

S 43½° W 11.00

S 2 E 10.00

S 25 E 27.00

S 7½° W 4.50

S 47° W 1.00

S 19° W 4.50

S 33¾° W 9.00

S 72° W 10.00

N 71° W 9.50

S 86½° W 21.00

S 73° W 2.50

S 51° W 3.00

S 36½° W 2.00

S 13½° W 3.00

S 23½° W 3.00 To Meander Post, between Sec. 13 & 24.

S 29° W 3.00

S 23¾° W 5.00

In Sec. 13

T 31 N. R. 14 E. 2nd Mer Indiana

\$77.71 3.70 to Meander Post, between Sec. 23 & 24

\$184.71 6.50

\$140.71 8.00

In Sec 23

\$125.71 4.55 to Meander Post, between Sec. 14 & 23

\$117.71 5.00

\$140.71 5.00

\$170.71 10.00

\$64.71 5.00

\$45.71 6.50

\$14.71 9.37 to Meander Post, between Sec. 14 & 23

\$17.71 10.50

\$3.71 10.00

\$47.71 7.50

\$17.71 4.50

In Sec. 23 again

\$18.71 5.00

\$34.71 6.00

\$39.71 3.50

\$67.71 12.50

\$134.71 5.00

\$122.71 7.00

\$115.71 22.50

\$51.71 9.00

\$84.71 9.30 to Meander Post, between Sec. 22 & 23.

\$72.71 6.00

\$65.71 11.50

\$56.71 3.00

\$83.71 2.50

\$68.71 4.00

\$61.71 9.00

\$35.71 6.50

\$49.71 2.50

\$32.71 2.00

153

T 31 N. R. 14 E 2nd Mer. Indiana.

S 25¹/₂ W 8.50 In Sec 22

S 19 E 7.00

S 62¹/₂ E 7.00

S 56¹/₂ E 7.50

S 12 E 11.00

South 4.00

S 21¹/₂ W 6.50

S 70¹/₂ W 6.00

S 63¹/₂ W 3.00

N 34 W 2.50

N 48¹/₂ W 2.50

N 61¹/₂ W 4.00

N 68 W 3.50

N 76¹/₂ W 4.00

S 88 W 2.65 To Meander Post, Lower Corner of La Ver-
nues Reserve.

Meanders of Maumee in Sec 28
Beginning at the upper Corner of
La Verne's Reserve Thence up Stream
- on the Left Bank.

Courses Distances Remarks.

S 51 W 5.00

S 33¹/₂ W 4.00

S 27¹/₂ W 4.50

S 24¹/₂ W 10.00

S 42 W 3.00

S 67¹/₂ W 9.00

N 86 W 9.50

N 78 W 5.00

N 59¹/₂ W 3.50

N 85 W 11.00

S 81 W 5.50 To Meander Post between Sec. 28 + 29.

S 80¹/₂ W 3.00

S 48 W 2.50

In Sec. 29

T 31 N. R 14 E 2nd Mer. Indian

\$41^W 5.00 In Sec 29.
 \$30^W 5.30 To Meander Post between Sec. 29 + 32

\$40^W 2.00
 \$29^W 8.00 Saturday March 7th 1829
 \$25^W 6.50

\$36^{1/2}^W 7.00
 \$54^W 5.50
 \$77^{1/2}^W 5.00 In Sec. 32

\$58^W 6.00

\$77^W 7.00

\$48^{1/2}^W 16.00

\$80^W 4.00

\$66^W 3.50

\$48^{1/2}^W 4.00

\$28^{1/2} 7.50

\$37^{1/2}^W 4.00

\$40^W 3.50

\$50^{1/2}^W 4.00

\$56^{1/2}^W 2.50

\$41^W 1.50 To Meander Post between Sec. 31 + 32.

\$41^{1/2}^W 0.50

\$67^W 2.50

\$63^{1/2}^W 4.50

\$57^{1/2}^W 8.50

\$27^{1/2}^W 5.50 At 3 chs A Brook 12 links wide. Cr. S.E.

\$24^{1/2}^W 3.50

\$6^{1/2}^W 14.50

\$3^W 4.50

\$11^W 3.50

\$28^W 5.50

\$38^W 4.28 To Meander Post on Town line
 between Towns 30 + 31.

Wm Brookfield
 Dep. Surveyor.

155

T 31. N. R 14 E 2nd Mer. Indiana.

This Township is level, rich, and at some seasons wet very wet.

The Timber is specified in the Field Notes, excepting the Undergrowth. - Spice wood Prickly Ash, Water Beech, a little Sugar, and owing to the great quantity of fallen timber, it is the worst Township that I ever surveyed!

William Brookfield.
C. S.

Saturday March 14th 1829

Pursuant to a Contract dated November 4th 1828. and instructions from Edward Tiffin Surveyor General of the United States

I have Surveyed and subdivided into Sections, Township No 31 North, Range No 14 East of the 2nd Mer. in the J. Wayne district State of Indiana. And I Certify that the foregoing are correct & true Field Notes of the lines which they purport to be, as part of said Contract.

Certified this 4th day of May 1829
William Brookfield
C. S.

I Certify that the foregoing transcript of the Field Notes of Township No 31 North, Range 14 East of the 2nd Mer. in the J. Wayne district in the State of Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office

Cincinnati Jan 5th 12th 1845 William Shotton
Comp.

T31 N. R14 E. 2nd Mer. Indiana

Ch. 11.

North Boundary.

var. 5° 30' E

West On the N. boundary of Sec 6

24.09 a Beech 22 in. diam.

40.00 Set of Sec. post, from which
a R. Oak 16 in. diam. bears N 72 E 36 lbs. dist. of
a No. 7 " " " N 46 W 18 " "

75.84 a Beech 17 " "

83.87 Intersected north line at temp. post Cor. to Town
31 N. Range 13 of 14 E. Set post, from which
a R. Ash 8 in. diam. bears N 66 E 46 lbs. dist. of
a S. Ash 9 " " " N 38 W 17 " "
Land timber the same as N. boundary of Sec. 5.

West N. boundary of Sec. 1.

17.67 a Buckeye 15 in. diam.

32.87 a Sycamore 30 " "

40.00 Set of Sec. post, from which
a R. Oak 40 in. diam. bears N 31 E 8 lbs. dist. of
an Elm 10 " " " N 39 W 7 " "

68.65 a Gum 22 " "

72.87 a Stream 5 lbs. wide Course E.

80.00 Set post Cor. to Sec. 1 of 2, from which
an Elm 11 in. diam. bears N 79 E 28 lbs. dist. of
a Beech 20 " " " N 18 W 24 " "
Land level of post 2nd rate, timber Beech, Ash & Hickory
underg^d. Spruce, Ironwood &c.

West On N. boundary of Sec. 2

24.18 a R. Ash 7 in. diam.

40.00 Set of Sec. post, from which
a Beech 14 in. diam. bears N 41 E 43 lbs. dist. of
a Buckeye 7 " " " N 56 W 40 " "

54.37 a Sugar 24 " "

80.00 Set post Cor. to Sec. 2 of 3, from which
a Gum 20 in. diam. bears N 58 E 25 lbs. dist. of
a Sugar 8 " " " N 63 W 19 " "

157

Township N^o 34 North Range N^o 14 East 2^d Mer. Ind.

Land 2^d rate, timber - Ash, Beech & Sugar
undergth Ironwood & Spruce

Nest On N. boundary of Sec. 3

9.52 a Maple 22 in. diam.

26.87 an Elm 45 " "

40.00 Set of Sec. post, from which
an Elm 16 in. diam. bear N 57 E 38 lks. dist. of
a Do. 14 " " " N 69 W 9 " "

50.04 an Elm 23 " "

80.00 Set post Cor. to Sec. 3 of 4, from which
a Sugar 24 in. diam. bear N 11 E 46 lks. dist. of
a Do. 8 " " " N 49 W 36 " "

Land timber &c. same as on the last mile

Nest On the N. boundary of Sec. 4

3.07 a Stream 18 lks. wide Course S. E.

12.33 a B. Walnut 24 in. diam.

22.87 a Sugar 20 " "

40.00 Set of Sec. post, from which
a Beech 17 in. diam. bear N 47 E 48 lks. dist. of
a Sugar 24 " " " N 74 W 17 " "

57.60 a Sugar 19 " "

80.00 Set post Cor. to Sec. 4 of 5, from which
a Sugar 12 in. diam. bear N 51 E 23 lks. dist. of
a Do. 13 " " " N 13 W 10 " "

Land timber &c. same as on the last mile

Nest On N. boundary of Sec. 5

28.74 a Sugar 12 in. diam.

40.00 Set of Sec. post, from which
a Hickory 20 in. diam. bear N 75 E 22 lks. dist. of
a Sugar 8 " " " N 51 W 41 " "

43.67 a Stream 16 lks. wide Course S. E.

46.72 a Sugar 10 in. diam.

80.00 Set post Cor. to Sec. 5 of 6, from which

158)

T 31 N. R 14 E. 2nd Mer. Indiana

Ch. 1st

a S. Ash 6 in. diam. bearing N 64 E 36 lbs. dist. 5
a Hickory 8 " " " N 24 W 31 " "
Land level 2nd rate fruit, timber 1st Oak, Beech
& Ash, under the Ironwood
David Phillips, L. S.
